

MANUAL **EVOLVEO**

MODEL

VERSION / DATE

WiFi Door

II. / 9. 5. 2024




EN

Product Features

- WiFi network
- Support scene linking;
- Closing/opening warning door, low battery warning, switch alert
- Inquiry about history
- Low power consumption battery-powered technology, standby for 1 year.

About the product



1) Indicator light
3) Basic level

2) Function key
Press and hold for
5 seconds until the
red light flashes
and enter WiFi
quick configuration
mode.


Indicator light (red)

Slow Lightning	Enter WiFi AP connection mode
Lightning fast	Enter WiFi fast mode

Function key: long press for 5 seconds until the red light flashes rapidly and enter WiFi fast mode; If the light is blinking slowly, enter WiFi AP connection mode.


Installation

Stick the device to the desired location (as shown in the picture, the detector should be installed in a fixed location, for example on the door frame, the magnet can be mounted in an active location, for example on the door).




Level installation, installation spacing less than 15 mm.

Installation on the door



Installation on the socket



Installation on the window




Quick setup

1) Download the app

- Search for "SmartLife" in the APP Store or Google Play or scan the following QR code.



- After downloading the app, register and login by following the instructions in the interface.




Once the software is running, click the [Create New Account] button and register your account using your mobile phone number or email address.

2) WiFi connection




- Make sure the phone is connected to a Wi-Fi router (dual band router, select 2.4G connection)
- Open the APP, click the [+] button in the top right corner of the home page; select [Safety Sensor]-> [Magnetic Sensor];
- Long press [Settings] for 5S
The red light flashes quickly and enters the fast network connection mode; click <Confirm>, select WiFi, enter the WiFi password, and click <OK> to pair WiFi. If the red light is blinking slowly, click the compatibility mode in the upper right corner to enter the AP WiFi connection mode; click <Confirm>, select WiFi, enter WiFi password, click <OK> to pair WiFi.
- Click the confirmation button of the APP interface, select the WiFi to be connected and enter the WiFi password, click [OK] to configure WiFi; the application interface prompts to add successfully,


complete the WiFi configuration; if the pairing is unsuccessful, repeat.
Remark: It is better to install it near the wireless router.

It currently does not support 5Ghz WiFi band.



- 1) red light flashing/slowly flashing
- 2) settings





Technical parameters

Battery type	CR2, DC3V
Operating voltage	2.4~3.0V Low power alarm threshold 2.4 V
WiFi frequency	2.4 GHz
Product dimension	76x31x20mm (transmitter box) 38x12x11mm (Magnetic strip)

Technical support

If the "Frequently Asked Questions" section did not help you, please contact EVOLVEO Technical Support: <https://eshop.evolveo.com/helpdesk/>.



Disposal

The crossed-out container symbol on the product, in literature or on the packaging means that in the EU, all electrical and electronic equipment, batteries and accumulators must be put into separate waste at the end of their useful life. Do not dispose of these products in unsorted municipal waste.



Declaration of conformity

Abacus Electric, s.r.o. hereby declares that the EVOLVEO WiFi Door meets the requirements of the standards and regulations applicable to this type of equipment.

The full text of the Declaration of
Conformity can be found at
<http://ftp.evolveo.com/CE/>.

Copyright © Abacus Electric, s.r.o.
www.evolveo.com
www.facebook.com/EvolveoCZ

Importer / Producer
Abacus Electric, s.r.o.
Planá 2, 370 01, Czech Republic

Made in China

All rights reserved.
Design and specifications are subject
to change without notice.